

Coating Resin Index

A.Long Oil Alkyd

Code	Oil Type	Suggested Use
791270A	Soya bean oil	White clear ready mixed paint
791280A	Soya bean oil	White clear ready mixed paint
791290A	Soya bean oil	White clear ready mixed paint

B.Medium Oil Alkyd

Code	Oil Type	Suggested Use
781260A	Soya bean oil	General purpose white enamels
781270A	Soya bean oil	General purpose white enamels
781370A	Soya bean oil	General purpose white enamels
781570A	Soya bean oil	General purpose white enamels

C.Short Oil Alkyd

Code	Oil Type	Suggested Use
771070A	Soya bean F.A.	Baking enamel, Lacquer, Wood coating
771260A	Soya bean F.A.	Baking enamel, Lacquer, Wood coating
771270A	Soya bean F.A.	Baking enamel, Lacquer, Wood coating
771370A	Soya bean F.A.	Baking enamel, Lacquer, Wood coating
771370C	Soya bean oil	Baking enamel, Lacquer, Wood coating
771570A	Soya bean F.A.	Wood coating & Primer
771770A	Soya bean oil	Wood primer(Lacquer, PU Acid cured)
771870A	Soya bean F.A.	Wood coating & Primer
771970A	Soya bean F.A.	Wood primer
771170A	Coconut F.A.	Clear lacquer, White baking enamel, PU
777570A	Coconut F.A.	Clear lacquer, White baking enamel, PU
773070A	Tall oil F.A.	Clear lacquer, Acid crued, PU

COATING RESIN INDEX-1/4
Mar.,28,2008

Code	Oil Type	Suggested Use
773280A	Tall oil F.A./Castor oil	Clear lacquer, PU
773370A	Rice oil F.A.	Lacquer, Baking enamel/Acid cured, PU
773670A	Tall oil F.A.	Clear lacquer, Acid cured, PU
775280A	Saturated F.A.	Lacquer, PU coating
775380A	Saturated F.A.	Lacquer, PU coating
778370A	Castor oil F.A.	Lacquer, PU coating
778970A	Castor oil F.A.	Lacquer, PU coating

D.Modified Alkyd

Code	Oil Type	Suggested Use
742460A	DCO Soya bean oil/Styrene	Dry fast enamel, hammer finishing, low temperature cured baking enamel
742670A	DCO Soya bean oil/Styrene	Dry fast enamel, hammer finishing, low temperature cured baking enamel
768370A	Linseed oil, Tung oil/Phenolic, Rosin	Lift resistance, Primer, Traffic paint
768370H	Linseed oil, Tung oil/Phenolic, Rosin	Lift resistance, Primer, Traffic paint
769370A	Linseed oil, Tung oil/Phenolic, Rosin	Lift resistance, Primer, Traffic paint
7921000	Super long linseed oil	Printing ink, Wood dying
7989000	Castor oil F.A.	Lacquer, PU coating

E.Oil-Free Polyester Resin

Code	Resin Type	Suggested Use
141260A	Saturated polyester	Coil coating
143065A	Saturated polyester	Can coating
152060A	silicone polyester	Cookware, water and oil heaters, electrical appliances.
152160A	silicone polyester	excellent color and gloss retention and heat resistance paint
191170A	Saturated polyester	Baking coating
193170A	Saturated polyester	Baking coating
194370A	Saturated polyester	Baking coating
198760A	Saturated polyester	Coil coating
199865B	Saturated polyester	Can coating, Coil coating
199865C	Saturated polyester	Can coating, Coil coating
199960A	Saturated polyester	Coil coating

F.Unsaturated Polyester Resin

Code	Resin Type	Suggested Use
8720BA	Unsaturated polyester	Vehicle repair, Wood, FRP mold putty
8731BA	Unsaturated polyester	Wood top coating for furniture, Musical instrument
8735BB	Unsaturated polyester	Wood surfacer coating for furniture, Musical instrument

G.Amino Resin

Code	Resin Type	Suggested Use
512460A	Isobutylated melamine resin	Baking enamel
536060A	N-butylated melamine formaldehyde resin	Baking enamel
518075A	N-butylated melamine benzoguanamine formaldehyde resin	Baking enamel
519560A	Isobutylated melamine formaldehyde resin	Baking enamel
520065A	Isobutylated urea formaldehyde resin	Primer for acid-cured
522065C	Isobutylated urea-melamine formaldehyde resin	Top clear for acid-cured
522065D	Isobutylated urea-melamine formaldehyde resin	Top clear for acid-cured
524060A	Isobutylated urea-melamine formaldehyde resin	Top clear for acid-cured